

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2020
1.2	02/28/2020	N00109107203	Date of first issue: 01/28/2020

SECTION 1. IDENTIFICATION

Product name : Scott® Essential Continuous Air Freshener, Ocean Scent

Product code : 91072

Manufacturer or supplier's details

Company : Kimberly-Clark Corporation
50 Burnhamthorpe Rd W
Mississauga
L5B 3Y5
Canada

Telephone : 1-800-437-8979

Emergency telephone : 1-877-561-6587

Transport Emergency : CHEMTREC: 1-800-424-9300

E-mail address : sdscontact@kcc.com
Responsible/issuing person

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 3

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitization : Category 1

Aspiration hazard : Category 1

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version
1.2

Revision Date:
02/28/2020

SDS Number:
N00109107203

Date of last issue: 02/05/2020

Date of first issue: 01/28/2020

GHS label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H226 Flammable liquid and vapor.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary Statements

: **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version
1.2

Revision Date:
02/28/2020

SDS Number:
N00109107203

Date of last issue: 02/05/2020

Date of first issue: 01/28/2020

protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 53 %

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version
1.2

Revision Date:
02/28/2020

SDS Number:
N00109107203

Date of last issue: 02/05/2020

Date of first issue: 01/28/2020

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Dihydromyrcenol	18479-58-8	>= 30 - < 60
orange oil	8008-57-9	>= 10 - < 30
Dipropylene glycol methyl ether	34590-94-8	>= 1 - < 5
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	57378-68-4	>= 1 - < 5
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	>= 1 - < 5
2-methylundecanal	110-41-8	>= 1 - < 5
Citral	5392-40-5	>= 1 - < 5
dodecanal	112-54-9	>= 1 - < 5

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : No hazards which require special first aid measures.

In case of skin contact : Not required under normal use.

In case of eye contact : Flush eyes with water as a precaution.
If eye irritation persists, consult a specialist.

If swallowed : Not required under normal use.

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2020
1.2	02/28/2020	N00109107203	Date of first issue: 01/28/2020

Most important symptoms and effects, both acute and delayed : No hazards which require special first aid measures.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam
Dry chemical

Specific hazards during fire fighting : No special precautions required.

Hazardous combustion products : No hazardous combustion products are known

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special precautions required.

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version
1.2

Revision Date:
02/28/2020

SDS Number:
N00109107203

Date of last issue: 02/05/2020

Date of first issue: 01/28/2020

Conditions for safe storage : Keep tightly closed in a dry, cool and well-ventilated place.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
orange oil	8008-57-9	TWA	20 ppm 111 mg/m ³	CA AB OEL
		TWAEV (Mist)	10 mg/m ³	CA QC OEL
Dipropylene glycol methyl ether	34590-94-8	TWA	100 ppm 606 mg/m ³	CA AB OEL
		STEL	150 ppm 909 mg/m ³	CA AB OEL
		TWA	100 ppm	CA BC OEL
		STEL	150 ppm	CA BC OEL
		TWAEV	100 ppm 605 mg/m ³	CA ON OEL
		STEV	150 ppm 910 mg/m ³	CA ON OEL
		TWAEV	100 ppm	CA QC OEL

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version
1.2

Revision Date:
02/28/2020

SDS Number:
N00109107203

Date of last issue: 02/05/2020

Date of first issue: 01/28/2020

			606 mg/m3	
		STEV	150 ppm 909 mg/m3	CA QC OEL
		TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
Citral	5392-40-5	TWA (Inhalable fraction and vapor)	5 ppm	ACGIH

Personal protective equipment

Respiratory protection : Not required under normal use.

Hand protection

Remarks : not required under normal use

Eye protection : Not required under normal use.

Skin and body protection : Not required under normal use.

Protective measures : No special protective equipment required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice for diagnostics.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version
1.2

Revision Date:
02/28/2020

SDS Number:
N00109107203

Date of last issue: 02/05/2020

Date of first issue: 01/28/2020

Appearance : liquid

Color : colorless

No information available.

Odor : pleasant

No information available.

Odor Threshold : No information available.

Melting point/freezing point :

Boiling point/boiling range :

Flash point : 63 °C

57 °C

Evaporation rate : No information available.

Relative vapor density : No information available.

Relative density : 0.885 - 0.889 (20 °C)

0.766 - 0.8

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2020
1.2	02/28/2020	N00109107203	Date of first issue: 01/28/2020

Solubility(ies)
Water solubility : No information available.

Partition coefficient: n-
octanol/water : No information available.

Viscosity
Viscosity, kinematic : No information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous
reactions : None reasonably foreseeable.

Conditions to avoid : No data available

Incompatible materials : No information available.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 4,798 mg/kg

Method: Calculation method

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Dihydromyrcenol:

Acute oral toxicity : LD50 Oral (Rat, male and female): 4,100 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

orange oil:

Acute oral toxicity : LD50 Oral (Rat, male): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit, female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: no

Dipropylene glycol methyl ether:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

2-methylundecanal:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 5,000 mg/kg
Method: Acute toxicity estimate
GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 8,280 mg/kg

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

Method: No information available.

GLP: no

Citral:

Acute oral toxicity : LD50 Oral (Rat, male and female): 6,800 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg

dodecanal:

Acute oral toxicity : LD50 Oral (Rat, male and female): 23,100 mg/kg

GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 2,000 mg/kg

Method: Acute toxicity estimate

GLP: no

Skin corrosion/irritation

Components:

Dihydromyrcenol:

Species : Rabbit

Result : Irritating to skin.

orange oil:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

GLP : yes

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

Dipropylene glycol methyl ether:

Result : No skin irritation

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment : Irritating to skin.

2-methylundecanal:

Species : Rabbit

Exposure time : 24 h

Method : No information available.

Result : irritating

GLP : no

Citral:

Assessment : Irritating to skin.

dodecanal:

Species : Rabbit

Exposure time : 24 h

Result : Skin irritation

GLP : no

Serious eye damage/eye irritation

Components:

Dihydromyrcenol:

Species : Rabbit

Result : Moderate eye irritation

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

orange oil:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Dipropylene glycol methyl ether:

Result : No eye irritation

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment : Irritating to eyes.

2-methylundecanal:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Citral:

Result : Eye irritation

dodecanal:

Species : Rabbit
Result : Eye irritation
Method : Draize Test
GLP : no

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

Respiratory or skin sensitization

Components:

Dihydromyrcenol:

Species : Mouse
Assessment : Does not cause skin sensitization.
Result : Did not cause sensitization on laboratory animals.

orange oil:

Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitization by skin contact.
GLP : yes

Dipropylene glycol methyl ether:

Result : Did not cause sensitization on laboratory animals.

1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one:

Result : May cause sensitization by skin contact.

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment : The product is a skin sensitizer, sub-category 1B.

2-methylundecanal:

Species : Mouse
Assessment : The product is a skin sensitizer, sub-category 1B.
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1B.
GLP : yes

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

Citral:

Result : The product is a skin sensitizer, sub-category 1B.

dodecanal:

Species : Mouse

Method : OECD Test Guideline 429

Result : The product is a skin sensitizer, sub-category 1B.

GLP : yes

Aspiration toxicity

Components:

orange oil:

May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Dihydromyrcenol:

Toxicity to fish : LC50: 27.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 38 mg/l
Exposure time: 48 h

Toxicity to algae : EC50: 80 mg/l
Exposure time: 72 h

orange oil:

Toxicity to daphnia and : EC50 (Daphnia magna (Water flea)): 0.62 mg/l

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

other aquatic invertebrates Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: no

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.5 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: no

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Dipropylene glycol methyl ether:

Toxicity to fish : LC50: > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: > 1,000 mg/l
Exposure time: 96 h

Toxicity to algae : NOEC: 969 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-methylundecanal:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.35 mg/l

Exposure time: 96 h

Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.21 mg/l

Exposure time: 48 h

Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.11 mg/l

Exposure time: 72 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Citral:

Toxicity to fish : LC50: 6.78 mg/l

Exposure time: 96 h

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version 1.2 Revision Date: 02/28/2020 SDS Number: N00109107203 Date of last issue: 02/05/2020
Date of first issue: 01/28/2020

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.8 mg/l
Exposure time: 48 h

Toxicity to algae : EC50: 6.8 mg/l
Exposure time: 48 h

dodecanal:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.6 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.27 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.048 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version Revision Date: SDS Number: Date of last issue: 02/05/2020
1.2 02/28/2020 N00109107203 Date of first issue: 01/28/2020

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

Dihydromyrcenol:

Biodegradability : Result: Readily biodegradable.

Citral:

Biodegradability : Result: Readily biodegradable.

dodecanal:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Dihydromyrcenol:

Partition coefficient: n- : log Pow: 3.25
octanol/water

orange oil:

Partition coefficient: n- : log Pow: 2.78 - 4.88
octanol/water

Dipropylene glycol methyl ether:

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2020
1.2	02/28/2020	N00109107203	Date of first issue: 01/28/2020

Partition coefficient: n-
octanol/water : log Pow: -0.064

2-methylundecanal:

Partition coefficient: n-
octanol/water : log Pow: 4.9

dodecanal:

Partition coefficient: n-
octanol/water : log Pow: 4.9 (35 °C)

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : EXTRACTS, AROMATIC, LIQUID
Proper shipping name : EXTRACTS, AROMATIC, LIQUID
Class : 3
Packing group : III

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2020
1.2	02/28/2020	N00109107203	Date of first issue: 01/28/2020

Labels : 3

IATA-DGR

Not permitted for transport

IMDG-Code

Not permitted for transport

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

SECTION 15. REGULATORY INFORMATION

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Canada. Ontario OELs
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2020
1.2	02/28/2020	N00109107203	Date of first issue: 01/28/2020

CA ON OEL / TWAEV : time-weighted average exposure value
CA ON OEL / STEV : short-term exposure value
CA QC OEL / TWAEV : Time-weighted average exposure value
CA QC OEL / STEV : Short-term exposure value

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 02/28/2020

SAFETY DATA SHEET

Scott® Essential Continuous Air Freshener, Ocean Scent

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2020
1.2	02/28/2020	N00109107203	Date of first issue: 01/28/2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8